


BIOTECHNOLOGY
SYSTEMS
BRANCH



RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/856,025A
Source: 1600
Date Processed by STIC: 11/5/2003

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221
Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/03):
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03



1600

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/856,025A

DATE: 11/05/2003

TIME: 14:17:14

Input Set : A:\seq1-65.txt

Output Set: N:\CRF4\11052003\I856025A.raw

3 <110> APPLICANT: Wing Dr., Sung L.
4 Tolan Dr., Jeffrey S.
6 <120> TITLE OF INVENTION: Thermostable Xylanases
8 <130> FILE REFERENCE: 08881610US1
10 <140> CURRENT APPLICATION NUMBER: 09/856,025A
C--> 11 <141> CURRENT FILING DATE: 2001-09-13
13 <150> PRIOR APPLICATION NUMBER: 60/108,504
14 <151> PRIOR FILING DATE: 1998-11-16
E--> 16 <160> NUMBER OF SEQ ID NOS: 66 65 (see p.2)
18 <170> SOFTWARE: PatentIn Ver. 2.1

ERRORED SEQUENCES

Does Not Comply
Corrected by D. Dettre Needer

09/856,025A

2

<400> 65 *last sequence in submitted file*

Gln Thr Ile Gln Pro Gly Thr Gly Tyr His Asn Gly Tyr Phe Tyr Ser
1 5 10 15

Tyr Trp Asn Asp Gly His Gly Gly Val Thr Met Thr Leu Gly Pro Gly
20 25 30

Gly Gln Phe Ser Val Asn Trp Ser Asn Ser Gly Asp Phe Val Gly Gly
35 40 45

Lys Gly Trp Gln Pro Gly Thr Lys Asn Lys Val Ile Asn Phe Ser Gly
50 55 60

Ser Tyr Asn Pro Asn Gly Asn Ser Tyr Leu Ser Val Tyr Gly Trp Ser
65 70 75 80

Arg Asn Pro Leu Ile Glu Tyr Tyr Ile Val Glu Asn Phe Gly Thr Tyr
85 90 95

Asn Pro Ser Thr Gly Ala Thr Lys Leu Gly Glu Val Thr Cys Asp Gly
100 105 110

Ser Val Tyr Asp Ile Tyr Arg Thr Gln Arg Val Asn Ala Pro Ser Ile
115 120 125

Glu Gly Thr Ala Thr Phe Tyr Gln Tyr Trp Ser Val Arg Arg Asn His
130 135 140

Arg Ser Ser Gly Ser Val Asn Thr Ala Cys His Phe Asn Ala Trp Ala
145 150 155 160

Gln His Gly Leu Thr Leu Gly Thr Met Asp Tyr Gln Ile Val Ala Val
165 170 175

Glu Gly Tyr Phe Ser Ser Gly Ser Ala Ser Ile Thr Val Ser
180 185 190

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/856,025A

DATE: 11/05/2003

TIME: 14:17:15

Input Set : A:\seq1-65.txt

Output Set: N:\CRF4\11052003\I856025A.raw

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:16 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (66) Counted (65)